No.



8300028

TO ALL TO WHOM THESE PRESENTS SHALL COME:

North American Plant Breeders

CUltereas, there has been presented to the

Secretary of Agriculture

AN APPLICATION REQUESTING A CERTIFICATE OF PROTECTION FOR AN ALLEGED NOVEL VARIETY OF SEXUALLY REPRODUCED PLANT, THE NAME AND DESCRIPTION OF WHICH ARE CONTAINED IN THE APPLICATION AND EXHIBITS, A COPY OF WHICH IS HEREUNTO ANNEXED AND MADE A PART HEREOF, AND THE VARIOUS REQUIREMENTS OF LAW IN SUCH CASES MADE AND PROVIDED HAVE BEEN COMPLIED WITH, AND THE TITLE THERETO IS, FROM THE RECORDS OF THE PLANT VARIETY PROTECTION OFFICE, IN THE APPLICANT(S) INDICATED IN THE SAID COPY, AND WHEREAS, UPON DUE EXAMINATION MADE, THE SAID APPLICANT(S) IS (ARE) ADJUDGED TO BE ENTITLED TO A CERTIFICATE OF PLANT VARIETY PROTECTION UNDER THE LAW.

NOW, THEREFORE, THIS CERTIFICATE OF PLANT VARIETY PROTECTION IS TO GRANT UNTO THE SAID APPLICANT(S) AND THE SUCCESSORS, HEIRS OR ASSIGNS OF THE SAID APPLI-CANT(S) FOR THE TERM OF eighteen YEARS FROM THE DATE OF THIS GRANT, SUBJECT TO THE PAYMENT OF THE REQUIRED FEES AND PERIODIC REPLENISHMENT OF VIABLE BASIC SEED OF THE VARIETY IN A PUBLIC REPOSITORY AS PROVIDED BY LAW, THE RIGHT TO EX-DE OTHERS FROM SELLING THE VARIETY, OR OFFERING IT FOR SALE, OR REPRODUCING IT, PORTING IT, OR EXPORTING IT, OR USING IT IN PRODUCING A HYBRID OR DIFFERENT THEREFROM, TO THE EXTENT PROVIDED BY THE PLANT VARIETY PROTECTION ACT 1542, AS AMENDED, 7 U.S.C. 2321 ET SEQ.)

SOYBEAN

'AP 240

In Testimony Wincreof, I have hereunto set my hand and caused the seal of the Blant Variety Protection Office to be affixed at the City of Washington

this 27th day of February the year of our Lord one thousand nine hundred and eighty-four.

- 1							
	U.S. DEPARTMENT O AGRICULTURAL MAR LIVESTOCK, MEAT, GRA	KETING SERV	/ICE		RM APPROVED		
	APPLICATION FOR PLANT VARIET	TY PROTE		may	ertificate for posterior be issued unling the beautiful to the beautiful t	ess a comple	eted appl
	(Instructions o	n reverse)	a TEMPORARY RESIGNATION	553)			
٠.	North American Plant Breeders	5	2. TEMPORARY DESIGNATION		ARIETY NAM AP 240	E	
	4. ADDRESS (Street and No. or R.F.D. No., City, State, a 5201 Johnson Drive	and Zip Code)	5. PHONE (Include area code)	PVP	FOR OFFICE	AL USE ONL	Υ
	P.O. Box 2955 Mission, KS 66205		(913) 384-4940			0028	
	6. GENUS AND SPECIES NAME 7.	FAMILY NA	ME (Botanical)	1	DATE		
	Glycine max	Legumi	nosae	FILING	11/2		 Jan
	8. KIND NAME	9.	DATE OF DETERMINATION		AMOUNT FO		XXP.M.
	Soybean		January 1976	RECEIVED	\$ 1,00		
•						26/82	
	 IF THE APPLICANT NAMED IS NOT A "PERSON," partnership, association, etc.) 	GIVE FORM	OF ORGANIZATION (Corporation	EES RI	\$ 500.00		ATE -
	Partnership			"	DATE 2/2,	/84	
	11. IF INCORPORATED, GIVE STATE OF INCORPORA	ATION		12. !	PATE OF INCO	RPORATION	V
	13. NAME AND ADDRESS OF APPLICANT REPRESEN	ATIVE(S), IF	ANY, TO SERVE IN THIS APPLIC	ATION	AND RECEIV	E ALL PAPE	RS
	Mr. Giles E. Dixon		Dr. Wayne R. Ellingso	n .			
	North American Plant Breeders		North American Plant	Bree	ders		
	P. O. Box 2955 Mission, KS 66201		R.R. 2, Hwy 30 East Ames, IA 50010				
	14. CHECK APPROPRIATE BOX FOR EACH ATTACHM	MENT SUBMIT	TED				
	a. Exhibit A, Origin and Breeding History of the Va Section 52 of the Plant Variety Protection Act.)	ariety (See	c. Exhibit C, Objective I from Plant Variety Pro	Descript otection	ion of the Varie 1 Office.)	ty (Request f	form
	b. X Exhibit B, Novelty Statement		d. Exhibit D, Additional	Descrip	tion of the Var	iety	
	15. DOES THE APPLICANT(S) SPECIFY THAT SEED OF SEED? (See Section 83(a) of the Plant Variety Protect	F THIS VARIE	TY BE SOLD BY VARIETY NAM Yes (If "Yes," answer				ED No
	16. DOES THE APPLICANT(S) SPECIFY THAT THIS VALUE LIMITED AS TO NUMBER OF GENERATIONS?	ARIETY BE	17. IF "YES" TO ITEM 16, I BEYOND BREEDER SEE		CLASSES OF F	RODUCTION	N
	Yes No		Foundation		egistered	Cer	tified
	18. DID THE APPLICANT(S) FILE FOR PROTECTION C	OF THE VARI	ETY IN THE U.S. OR OTHER COL	JNTRIE	r Ye	s (If "Yes," gi countries and	ive names ' dates)
	· · · · · · · · · · · · · · · · · · ·				X No	1	
	19. HAVE RIGHTS BEEN GRANTED IN THE U.S. OR O	THER COUNT	RIES?				· · · · · · · · · · · · · · · · · · ·
					· Of	s (If "Yes," gi countries and	ive names ' dates)
-	20. The applicant(s) declars(s) that a in line will	<u>(1 · 1</u>	C. I.		X No		
	20. The applicant(s) declare(s) that a viable sample o plenished upon request in accordance with such i	regulations as	of this variety will be furnished may be applicable.	with 1	he application	and will be	e re-
	The undersigned applicant(s) is (are) the owner(s distinct, uniform, and stable as required in Section Variety Protection Act.) of this sexu	ally reproduced novel plant var	iety, a e provi	nd believe(s) s sions of Section	that the vari	ety is Plant
	Applicant(s) is (are) informed that false represent	tation herein	can jeopardize protection and i	result i	n penalties.		
-	SIGNATURE OF APPLICANT				ATE		
	Wayne Ellingran				11/8/8	Z	
-	SIGNATURE OF APPLICANT			D./	/- 22 -8	7	1
ī	FORM LMGS-470 (9-81) (Edition of 1-78 is obsolete)			(1-22-0	· ,	
	(•				

"EXHIBIT A" Origin and Breeding History of 'AP 240'

1. AP 240 originated in Iowa by intermating 40 high-yielding strains of Group 0 to Group IV maturity. For the initial crosses, each strain was crossed to five other strains to form 100 hybrid populations. The 100 populations were advanced to the F₃ generation, then each population was crossed to sixteen other populations. The hybrid seed was bulked and plant-to-plant crosses were made for the third intermating. The hybrid seed (S₀) was planted and 300 individual S₀ plants were harvested.

An S_1 yield test with 300 lines was conducted to two Iowa locations in 1973. The S_1 lines were divided into early, midseason, and late classes with 100 S_1 lines in each. The ten highest-yielding S_1 lines from each of the three maturity classes were chosen as parents for recombination.

The selected lines were mated together in all possible pair-wise combinations in Puerto Rico during December, 1973. The hybrid S_0 seed from the crosses was planted in Puerto Rico. S_1 seed was bulked from the S_0 plants for distribution to public and private soybean breeders.

The S₁ seed was grown in Iowa the summer of 1975, the S₂ seed was grown in greenhouses during the winter of 1975-76 and the S₃ seed was grown in the field the summer of 1976. Early generations were advanced using a modified single seed descent technique. Single plants of the cross were selected in the greenhouse and progeny rows were planted in Iowa the spring of 1976. AP 240 was S₃ derived. The original breeding was done by Walt Fehr at Iowa State University. The population was called AP 6.

2. In 1978, single plants of the variety were reselected and grown in progeny rows in 1979. Only rows conforming to a standard were harvested and bulked.

The genetic make-up of the variety was stabilized in the fifth generation (1976). The variety has remained stable and the sole purpose for reselection was for beginning multiplication for commercial seed stock production. The variety is essentially not changed, but only mixtures removed that have occurred during the two years of yield trials.

- 3. AP 240 has been tested since 1977. See attached for 1977-1981 data. AP 240 has only been tested under one experimental designation, EX 163.
- 4. Discernible variants are not an inherent component of the variety.

		•	(0 0)*	*(0.*((4 0)*
		(0 2)	Petetance	Good PRR field resistance (3.0)	Poor from chlorosis resistance (4 n)*
Group II (Amsov 71)	ability	emergence score (2.0)*	ttering r	leld resis	blorosis
/) II dn	Good standability	d emerge	rage sha	d PRR fi	r iron c
o de	- 600	- Good	- Ave	-	Pool

· .	Wide R	58.3	50.9	46.0	55.9	54.6	
nary	Lodging	2.5	3.4	3.0	2.3	2.2	•
Data Sum	Height	36	41	41	41	36	ŗ
1981 NAPE	Maturity	9-25	67-6	9~25	9-56	9-56	76 0
1981 NAPB Data Summary	Variety	EX 163 MPA	rial Col	Amsoy 71	Century	HP 2530	51492
:							
Overall Average 1977-1980	47.3			•	43.9	44.8	
1980 Average (NAPB) Wide Row Narrow Row	45.7	42.0	40.0	7.24	. to t	49.2	•
1980 Aver Wide Row	50.3	45.8	44.1	7/ 1	1.1.	p.10	
Lodging*	1.8	2.0	3.2	9		3	
Height	33	41	41	42	43	:	
Maturity	27¢ 09-25	09-23	09-24	09-27	10-04		
Variety	EA 103 AP 23	Mells	Harcor	Amsoy 71	Agripro 25		

4nch)
3
Rows
¥ide
- \$
Location
by
APB - Y1eld
- 1
튑

Variety Peoria Ames Hookston Syracuse Hookston Light Lig		Ø 1	5.7
1977 1978 1978 1979		1980 Ames IA 56.3 48.7 49.5 50.5	4.8
1977 1978 1978 1979		1980 Tekamah NE 50.8 52.1 45.9 49.3	9.7
1977 1978 1978 1979		1979 Wauseon OH 43.2 44.9 52.2 52.2	8.5
1977 1978 1978 1978 1979		1979 Syracuse IN 45.7 45.8 41.9 44.0	7.2
1977 1978 1978 1979		1979 Galesburg IL 59.3 53.5 54.1	4.8 52.8
1977 1978 1978 1978 1979 1979		1979 Tekamah NE 45.7 42.9 43.8	
1977 1978 1978 1978 1978 1978 1978 1978		1979 Ames 1A 46.8 41.0 44.1 39.9	43.0
1977 1978 1978 1978 1978 1978 1978 1978	•	1979 Mason City 1A 46.6 41.1 49.2 40.1	5.1 45.2
Variety 1977 1978 1978 1978 1978 EX 163 AP 24°C 52.0 49.1 Ames Ames Ames Brookston 1N Wells 47.9 43.1 A3.1 A5.1 A5.1 A5.1 A5.1 A4.6 Harcor Amsoy 71 Af5.1 49.4 38.7 Beeson Agripro 25 57.1 54.1 A4.6 55.5 5.2 A6.4 A4.0 A5.1 A4.6 LSD (.05) 5.5 5.2 Mean Scored on a 1-5 basis, 1=best	lch)		3.5
Variety EX 163 AP 24° 52.0 49.1 Wells Harcor Amsoy 71 45.1 49.4 Beeson 46.4 Agripro 25 57.1 54.1 LSD (.05) 5.5 Mean 48.1 * Scored on a 1-5 basis, 1=best	KOWS (30 1)	1978 Brookston IN 43.1 38.7 44.0	-
Variety EX 163 βP 240 12.0 Wells Harcor Amsoy 71 45.1 Beeson Agripro 25 57.1 LSD (.05) Mean * Scored on a 1-5 basis	# 10e	•	5.5 48.1
Variety EX 163 AP 240' Wells Harcor Amsoy 71 Beeson Agripro 25 LSD (.05) Mean * Scored on a	במרמינו	1977 Peorta 1L 52.0 47.9 45.1	1-5 basis
	Con plan	Variety EX 163 hp 240' Wells Harcor Amsoy 71 Beeson Agripro 25	LSD (.05) Mean Scored on a

- contin	
. 1	
(30 Inch)	
_	
Rows	
Wide	
NAPB - Yield by Location - Wide Rows	
?	
Yield I	
	֡

Variety	1980 Syracuse IN	1980 Brookston IN	1980 Wauseon OH	1981 Ames Variety, IA	1981 Ames IA	1981 South Bend IN	1981 Galesburg IL	1981 Brookston IN
EX 163 AP 2/6	48.5	40.9	55.3	EX 163 APJ	6 990	48.5	60.4	57.4
Wells	47.3	. 33.3	51.8	Harcor	. 52.9	54.4	45.9	50.2
Harcor	48.7	33.0	50.1	Amsoy 71	55.0	46.4	36.9	45.8
Amsoy 71	46.9	32.3	46.6	Century	65,1	55.3	52.4	50.7
Beeson				HP 2530	55.5	50.6	57.3	55.1
Agripro 25	-	54.2	50.0	S1492	59.2	46.5	55.9	58.3
LSD (.05)	7.2	8,3	. 7.5	(30.) dSJ	6.7	5.9	7.6	6.4
Mean	47.9	38.7	50.8	Mean	59.3	52.5	51.7	54.7

C. NAPB - Yield by Location - Narrow Rows (7% inch)

	1980	1980	1980	
Variety	Tekamah NF	Ames	Galesburg	
AP 240'	44.4	50.7	42.2	
Wells	41.3	47.7	37.1	
Harcor	41.2	51.4	33.9	
Amsoy 71	38.6	55.2	39.0	
Beeson	•	•	•	
Agripro 25	44.1	54.9	48.7	
LSD (.05)	9.5	5.5	7.6	-
Mean	41.9	52.0	40.2	

- 1981
Trials
University
ď

	Iowa State University	University of Illinois	inois	Ohio State Un	iversity
Variety	N. Iowa*	Urbana	cComb	Western PRR	PRR
EX 163	55.2		47.3	43.9	40.1
Wells/Wells II	1		47.5	: #	
Harcor	55.7	4			ı
Ams oy 71	52.2		43.4	38.4	34.2
Century	48.0	58.3	49.6		ı
Beeson/Beeson 80	50.8		45.6	. 1	
(30.) dS1	7	6.8**	5.8**	6.1	4.1
Mean	54.6	56.4	50.0	39.2	36.2

"EXHIBIT B"

Novelty is based on the unique combination of the following characters:

'AP 240' is most similar to the variety 'HP 2530'. However, AP 240 differs from HP2530 in flower color, hilum color and pod color.

- 1. AP 240 has purple flower color where HP 2530 has white.
- 2. AP 240 has gray hilum color where HP 2530 has buff.
- 3. AP 240 has very light, tan pod color and HP 2530 has dark tan.

FORM GR-470-2 (6-15-72)

UNITED STATES DEPARTMENT OF AGRICULTURE AGRICULTURAL MARKETING SERVICE GRAIN DIVISION

EXHIBIT C (Soybean)

HYATTSVILLE, MARYLAND 20782

OBJECTIVE DESCRIPTION OF VARIETY

SOYBEAN (GLYCINE MAX) INSTRUCTIONS: See Reverse. NAME OF APPLICANT(S) FOR OFFICIAL USE ONLY North American Plant Breeders PVPO NUMBER 300028 ADDRESS (Street and No., or R.F.D. No.; City, State, and ZIP Code) 5201 Johnson Drive VARIETY NAME OR TEMPORARY DESIGNATION P.O. Box 2955 Mission, Kansas 66205. AP 240 Place the appropriate number that describes the varietal character of this variety in the boxes below. 1. SEED SHAPE: 2 = SPHERICAL FLATTENED 1 = SPHERICAL 3 = ELONGATE 4 = OTHER (Specify) 2. SEED COAT COLOR: SHADE: I = YELLOW 2 = GREEN 3 = BROWN 4 = BLACK 1 = LIGHT 2 = MFOHIM3 = DARK 2 5 ≈ OTHER (Specify) 3. SEED COAT LUSTER: 4. SEED SIZE 1 = DULL 2 = SHINY6 GRAMS PER 100 SEEDS 5. HILUM COLOR: SHADE 5 = IMPERFECT 1 = BUFF 3 = BROWN 2 = YFLLOW4 = GRAY BLACK 2 = MEDIUM 1 = LIGHT 3 = DARK 6 = BLACK 7 = OTHER (Specify) COTYLEDON COLOR: 7. LEAFLET SIZE (See Reverse): T=YELLOW . 2 = GREEN 2 I = SMALL 2 = MEDIUM 3 = LARGE 8. LEAFLET SHAPE: 1 = OVATE 2 = OBLONG 3 = LANCEOLATE 5 = OTHER (Specify) 4 = ELLIPTICAL 9. LEAF COLOR (See reverse): 10. FLOWER COLOR:] = WHITE 2 = PURPLE 1 = LIGHT GREEN 2 = MEDIUM GREEN 3 = DARK GREEN 2 3 = OTHER (Specify) 11. POD COLOR: 12: POD SET: very light 1 = SCATTERED 2 = CONCENTRATED] = TAN 2 = BROWN 3 = BLACK 13. PLANT PUBESCENCE COLOR: SHADE] = GRAY 2 = BROWN3 = OTHER (Specify) l = LIGHT 2 = MEDIUM 14. PLANT TYPES (See Reverse): 15. PLANT HABIT: 1 = DETERMINATE 2 = INDETERMINATE 1 = SLENDER 2 = BUSHY 3 = INTERMEDIATE 3 = OTHER (Specify)16. HYPOCOTYL COLOR: 17. SEED PROTEIN NOT Required I = GREEN 2 = PURPLE 18. NUMBER OF DAYS TO FLOWERING 19. MATURITY GROUP: (Place a zero in first box (e.g. 0 9) when 4 = 112 = 0 3 = 1 5 = 111 1 = 00 days are 9 or less.) 6 = IV 7 = v 8 = VI 9 = VII10 = VIII 20. SIZE OF 10 DAY OLD SEEDLING GROWN UNDER CONSTANT LIGHT (Growth Chamber) AT 25° C. (Place a zero in first box (e.g. 0 2) when size is 9 mm. or less.) NOT Required MM. LENGTH MM. LENGTH MM. WIDTH OF COTYLEDON OF SEEDLING OF COTYLEDON 21. DISEASE: (Enter 0 =Not Tested; 1 = Susceptible; 2 = Resistant) BACTERIAL SOYBEAN 0 PURPLE DOWNY POD AND ROOT **PUSTULE** STAIN CYST MILDEW STEM BLIGHT KNOT FROGEYE STEM PHYTO-BROWN BROWN TARGET CANKER PHTHORA STEM ROT SPOT SPOT 8 BUD RHIZOCTONIA WILDFIRE OTHER (Specify) BLIGHT

CHARACTER	NAME OF VARIETY	CHARACTER	NAME OF VARIETY
Plant shape	HP 2530	Petiole angle	HP 2530
Leaf shape	Beeson 80	Seed size	Corsoy
Leaf color	Agripro 20	Seed shape	Corsoy
Leaf surface	Amsoy 71	Seedling pigmentation	Amsoy 71

23.	GIVE D	ATA FO	R SUBMITTE	D AND SI	MILAR ST	ANDARD	VARIETY:

VARIETY	NO. OF DAYS TO MATURITY	LODGING SCORE	PLANT HEIGHT	LEAF SIZE		CONTENT		AVERAGE NO.	
VARIETT				Width	Length	Protein	Oil	OF PODS PER PLANT	IODINE NO.
Submitted	121	2.5	36in.	9.4cm	12.1c	n 37.1	19.7 %	38	ND
Name of similar variety HP 2530	122	2.2	36in.	8.4cm	13.0c	n 37.9	19.4	34	ND

INSTRUCTIONS

GENERAL: The following publications may be used as a reference aid for completing this form:

- 1. Scott, Walter O. and Samuel R. Aldrich, 1970, Modern Soybean Production, The Farmer Quarterly.
- 2. Norman, A. G., 1963, The Soybean: Genetics, Breeding, Physiology, Nutrition, Management.
- 3. McKie, J. W., and K. L. Anderson, 1970, The Soybean Book.

LEAF COLOR: Nickerson's or any recognized color fan may be used to determine the leaf color of the described variety. The following Soybean varieties may be used as a guide to identify the colors listed on the form.

COLOR				VARIETY
Light Green				''Ada''
Medium Green				 "Wilkin"
Dark Green	v	4	112	"Swift"

LEAF SIZE: The following varieties may be used as a guide to identify the relative size leaves.

SIZE				VARIETY
Small	,			"Amsoy"
Medium			 	"Bonus"
Large		1 July 1973	n d - 1 37 1	"Anoka"

PLANT TYPE: The following varieties may be used as a guide to identify the plant type.

TYPE		+ 4 2 1	VARIETY
Slender			''Vansoy''
Intermediate			"Wirth"
Bushy	si i i	1.	"Adelphia"